



FLEXITEEK

DECKING REDEFINED

ENGLISH

LOOKS THAT LAST

Beautifully engineered for minimal maintenance.



DECKING REDEFINED

Introducing the third generation of Flexiteek. Our latest patent pending synthetic decking still looks every bit as beautiful as traditional teak.

Flexiteek 3 is available to order in a wide range of colours. It can be customised with lettering, logos, and designs to personalise your new deck.

Flexiteek has been designed to be safe and comfortable in extreme conditions, and last for many years with minimal maintenance.

Over 200 of the world's leading boat builders trust Flexiteek, and thanks to our extensive global distributor network, we can easily fit it to your boat, regardless of size.


Flexiteek 3 is our first generation of decking produced with bio-attributed PVC, setting a new standard in beautifully engineered synthetic decking.

THE PERFECT CHOICE

Flexiteek 3 is the choice of decking for over 200 boat builders worldwide.



Arcona
YACHTS





WILLIAMS
JET TENDERS



de antonio
YACHTS



GRAND SOLEIL
YACHTS



St
Steeler
YACHTS WITH AMBITION




PARDO
YACHTS



Viknes
BUILT FOR THE NORTH SEA





The choice of leading

BOAT BUILDERS

As the established category leader, Flexiteek is trusted by over 200 boat builders worldwide.

OUR PROMISE TO YOU

We're here to help you exceed the needs of your customers. Our products are designed to be the best in their category. Our latest innovation with Flexiteek 3 ensures that this remains the case.

Thanks to our global distribution network, we can offer you unrivalled levels of service and support.



Find out more

"Flexiteek offers a wide array of colours to meet customer requirements, plus the possibility of customising pretty much any shape and line. We need to offer the same high-end quality standard in all our range, so being an international company delivering to several countries is crucial."

Javier Ibañez
Technical Director

de antonio
YACHTS



"We have chosen Flexiteek due to the quality, the realistic look and the outstanding service provided by our supplier. It meets the standard expected on our yachts."

Andrea Rigillo
Production Manager

PARDO
YACHTS



"Williams choose to fit Flexiteek as it is by far the most realistic teak substitute currently available. We have fitted the product to several thousand boats used in locations ranging from Australia to Norway and have found it to perform most reliably."

John Hornsby
Joint Managing Director

WILLIAMS
YACHTS




"We researched the market and picked Flexiteek for two reasons, the quality of the product itself but also for their excellent service and support. Since we are building quality yachts and our customers' expectations are high, for us, Flexiteek was the only synthetic option."

Magnus Larsson
Director

ARCONA
YACHTS





The choice of

BOAT OWNERS

Boat owners trust Flexiteek because they love how it's an easy maintenance option for their boat.

OUR PROMISE TO YOU

Once you have received your new deck, it is time to sit back and relax! Flexiteek requires little maintenance to keep its great looks. Simply follow our 5-step cleaning guide to keep your deck as good as new.



Download the Cleaning Guide

DESIGN POSSIBILITIES

We can customise your deck to create traditional or modern designs on an individual basis; cut, fitted, and finished by hand.

We can also embellish your deck with bespoke compositions, logos and lettering, using computerised, precision cutting tools.



PERSONALISE YOUR DECK

Add logos of any style or size to your deck to create a unique look.



DESIGN IT YOUR WAY

There are no rules when it comes to your deck. Talk to your local distributor about a design to suit your boat.



MODERN DESIGN

Anything is possible using a CNC machine!
If you can imagine it, we can build it!



TRADITIONAL DESIGN

Where tradition matters, a fully detailed and margined deck is perfect if you're looking for a traditional boat look.



Create your dream deck today!

THE BENEFITS ARE CLEAR

Flexiteek 3 continues our tradition of long-lasting, beautiful, high-performance synthetic decking, engineered to withstand all weather conditions.

DECKING REDEFINED

Flexiteek 3 is available in a range of colours, from traditional teak to weathered finishes and contemporary shades. It has been created to be a more sustainable decking choice using bio-attributed PVC, a renewable product that reduces greenhouse gases by 80% compared to fossil-fuel based PVC. Our global distributor network can guide you through the range and support you at every stage of the installation process.

HIGH PERFORMANCE

Flexiteek offers significant advantages over alternative synthetic decking systems:

- It cools up to 30% faster than traditional composite decking.
- It has excellent 'graining' making Flexiteek 3 the most realistic synthetic decking.
- It's up to 35% lighter - great for performance yachts, multihulls, or powerboats.





LONG LASTING

Your new deck comes with a 5-year guarantee against material defects. All Flexiteek decks are manufactured using vinyl welding techniques, making the joints stronger than using glue. The surface is UV stable, extremely hard-wearing and is completely re-sandable if needed.



LOW MAINTENANCE

Flexiteek 3 requires little maintenance to maintain its great looks. There's no need for regular hard scrubbing or expensive cleaning and sealing systems, just the occasional rinse or jet wash for a deep clean that will leave it looking like new. Our comprehensive 5-step cleaning guide provides useful information to keep your deck looking its best.

ADDITIONAL BENEFITS

Reduced Weight

Flexiteek 3's traditional 5mm thickness weighs just 4.5kg per m², making it up to 35% lighter than other synthetic decking systems. The thinner option of 3.5mm thick weighs even less at 3.6kg per m². This makes it particularly attractive for high-performance multihulls, power, and sailing boats. Importantly, it reduces the weight positioned above the waterline, as well as the overall boat weight. This results in a lower centre of gravity, reduced heeling and an improved performance.

Trusted for More Than 25 Years

Flexiteek is fabricated on six continents, available through over 100 distributors worldwide and supplied to over 200 leading boat builders. Its patent pending, shape-conforming underside ensures superior adhesion and fitting to boats of all shapes and sizes.

IMPROVING SUSTAINABILITY

We Use Bio-Attributed PVC

Like any product, Flexiteek 3 has an environmental footprint, but we are taking steps to minimise its impact:

- It's our first synthetic decking to be produced with bio-attributed PVC, a renewable material that has removed the use of fossil fuels from the raw material production process. So, Flexiteek 3 produces up to 80% less greenhouse gases when compared to fossil-based PVC.
- We also use a REACH-compliant, phthalate-free plasticiser which is less harmful to the environment than other PVC decking products. It also has a low migratory performance, helping Flexiteek to retain its integrity better than alternative synthetic decking options.
- We recycle our manufacturing waste into other products and it's 100% recyclable.



OVER 15 COLOUR COMBINATIONS TO CHOOSE FROM

Create the decking look you want with one of our colour options, including our new Ash shade, offering a lighter choice.

Our colours are available in up to three caulking options, traditional black, contemporary grey or modern white, to help you customise your new deck.



TEAK

Available in Black, Grey or White caulking.



SCRUBBED

Available in Black, Grey or White caulking.



BLEACHED

Available in Black, Grey or White caulking.



FADED

Available in Black, Grey or White caulking.



WEATHERED

Available in Black, Grey or White caulking.



ASH

Available in Black, Grey or White caulking.

DARK WOOD COLOURS

Our three dark wood colours are available in limited territories. All three options are available in up to three different caulking colours.



VINTAGE

Available in Black, Grey or White caulking.



CHARCOAL

Available in Black, Grey or White caulking.



WALNUT

Available in Black, Grey or White caulking.


MONOCHROME COLOURS

The modern tones of our three monochrome colours, available in limited territories, provide a different look for your boat. Available in up to two caulking colours.



CARBON

Available in Grey or White caulking.



GREY

Available in Black or White caulking.



OFF-WHITE

Available in Black or Grey caulking.

INTRODUCING OUR TRITONE RANGE

Our NEW Tritone colour range is a vibrant and modern option using three different shades to create a beautiful deck. Available in up to three caulking colours.



TRITONE - TEAK

Available in Black, Grey or White caulking.



TRITONE - SCRUBBED

Available in Black, Grey or White caulking.




TRITONE - ASH

Available in Black, Grey or White caulking.

DESIGN YOUR DECK YOUR WAY

Use our deck designer to create your ideal Flexiteek deck. Visualise over 35 colour combinations on a motor boat, sailing boat, sports boat or a RIB leisure boat, then submit your design to our team for a quote.

Taking you one step closer to having your dream deck!





FAQS

How much does Flexiteek weigh?

Flexiteek weighs 4.5kg per square metre (5mm Option).

How long will it last (lifespan)?

Flexiteek has been in use for over 20 years now, and early decks are still in good condition. Obviously, it does depend on the maintenance and the level of use.

How does Flexiteek compare to its competitors?

Flexiteek is the only third generation synthetic decking on the market and offers a lighter and cooler alternative to others in the market, with a wide range of realistic finishes and colours.

Does it get hot?

Flexiteek will get warm in hot climates but has been developed to reduce thermal transfer and cools up to 30% faster than traditional composite decking.

What are its non-slip properties?

Flexiteek has similar non-slip properties to teak and Flexiteek performs well even when wet.

How is Flexiteek made more sustainable?

Flexiteek is engineered using REACH-compliant, phthalate-free plasticisers with a low migratory performance. This makes Flexiteek 3 a trusted, safe and reliable product you can depend on.

What sort of maintenance is involved?

Flexiteek requires minimal maintenance: an occasional clean and, if the grain starts to wear down, a quick resand will restore its fresh look and non-slip properties.

How is it designed?

Flexiteek can be designed to replicate a teak deck or fabricated to a bespoke design for a modern, contemporary or traditional look; there are no limits to what is possible.

How is Flexiteek put together?


Flexiteek is "welded" using vinyl welding techniques to ensure clean sealed joints.

What is a margin board?

A margin board is the framing around the planks and is normally a slightly wider section compared to the planks.


What is Flexiteek made from?

Flexiteek is made using a non-fossil PVC material called bio-attributed PVC. It's a material derived from managed pine tree locations and is every bit as durable as fossil-fuel based PVC but without the environmental dilemmas.




What advantages does Flexiteek have compared to real teak?

Flexiteek offers a real teak 'look' with added benefits of being lighter in weight with minimal maintenance requirements.




What if I need a thicker product?

If you require, Flexiteek can be supplied on marine ply, GRP, laminate board or foam layer of varying thickness to enable a snug fit to a recess or edge.



Will it squash or buckle under pressure?

Flexiteek will compress if a fitting is through-bolted. We would recommend that anything bolted is placed on a solid packer such as Tufnol, UPVC, aluminium etc.




Can Flexiteek stick to any surface?

Flexiteek adhesives will adhere to most surfaces successfully if the subsurface is painted. Often a 2-part epoxy can be used to create a suitable subsurface for the application of adhesives.




Can Flexiteek be used vertically?

Flexiteek is surface conforming, so it can be used on most angles and contours, both vertically and horizontally.




Can you re-sand it?

Flexiteek can be re-sanded by hand using 40 to 80 grit sanding paper and working in the direction of the grain. Do not use power sanders on Flexiteek.



How easy is it to repair?

Your Flexiteek distributor is qualified to offer a repairing service. We'd always suggest using a Flexiteek expert to have this service done for you.




How do you clean Flexiteek?

We recommend using our cleaners, which have been fully tested for use with Flexiteek. A pressure washer also works well for a deep clean. Download our cleaning guide from our website at www.flexiteek.com.




How much does it cost?

Flexiteek is priced based on square metreage and design. Quotes can be supplied from your local distributor on request.




What quantities can you buy Flexiteek in?

Flexiteek is supplied as bespoke decks or as rough-sized panels to almost any size to suit your purpose.



Can it be used for other applications than boats?

Yes, Flexiteek has been used for non-marine applications, such as domestic and commercial flooring.



Will it fade or change appearance?

Flexiteek will not fade or change; it may go a few tones darker after lengthy exposure to the elements. It can return to its new look by sanding the surface, just like with wood.

EXPERT ADVICE, INSPIRATION, AND SERVICE WORLDWIDE

Our distribution network, established when we started in 2000, has been providing outstanding service to boat builders, boat dealers, and boat owners worldwide.

All our distributors have been trained in the design, fabrication, and installation of Flexiteek and can offer advice on all boat types.

Across

6

Continents

Over

50

Countries

Over

100

Distributors and Agents

TRUSTED BY OVER 200 BOAT BUILDERS WORLDWIDE



FIND YOUR LOCAL
DISTRIBUTOR TODAY





FLEXITEEK TRIMS

Complement your Flexiteek 3 synthetic teak deck with our range of Flexiteek Trims.

LOOKS AND FEELS LIKE WOOD

The Flexiteek Trims range is designed to both look and feel like real wood. Featuring the sought-after low maintenance qualities of Flexiteek 3 synthetic decking.

STOCK COLOURS

Each profile is available un-sanded in the same stock colours as Flexiteek decking, providing the ultimate uniform look to your craft.

For more information, please visit order.flexiteek.com.





WILKS FENDERING

Established in 1973, Wilks has been a brand at the forefront of the UK marine industry, supplying fendering to the world's leading marine companies. Wilks is trusted by boat builders, chandlers, and boat owners alike.

The Wilks range of boat fendering and rub rail profiles is extensive to meet the demands of a variety of vessels. There are even pontoon fendering options available, designed for use as a dock bumper for moorings, landings, and floating pontoons.

For more information and to order the Wilks fendering range, please visit www.wilks.co.uk.



BOAT FENDERING

The Wilks range of boat fendering includes stainless steel, aluminium, and rigid PVC, as well as popular D, U, and B profiles. From dinghy fendering to hard-wearing rub rails for traditional Gulf fishing boats, there is a solution to suit every boat in the Wilks range.



PONTOON FENDERING

Wilks pontoon fendering profiles are suitable for individual berths right through to entire marina complexes. They have been designed with ease of installation and low maintenance in mind and to provide lasting levels of protection when compared to wood alternatives.



ACCESSORIES

Wilks fendering is complemented by a range of beautiful end caps to provide the perfect finish to your fendering. Select from the accessories range of top capping, handrails, toe rails, fixing strips, inserts, edging trims, and more.



QUICK AND SIMPLE SOLUTIONS

Click is a popular fendering system, developed to provide a quick and simple installation and maximum levels of protection for your boat. Click is available in four sizes and in black, white, or bespoke colour options.



OUR STORY

Flexiteek was founded in 2000 with the aim of revolutionising the traditional marine decking market. Today, we've got boat owners and boat builders thinking about alternatives to endangered hardwoods like teak.

With our third generation of Flexiteek, we have changed things up for synthetic decking by using the very latest technology, like bio-attributed PVC, to produce the usual high-quality people have come to expect from us.

Our owner, Anders Wilhelmsen Sr, is an entrepreneurial Norwegian and founder of Watrium with a strong heritage in shipping. We have drawn on this maritime experience and knowledge to inspire our products. We understand and have responded to the exacting demands of leading boat builders, to create beautifully engineered solutions.

Find out more!





SUPPORTING CHARITIES

Our charity strategy has always been focused on reducing the impact of our products by supporting long-term and meaningful projects that benefit endangered habitats, their biodiversity, and the wider communities that rely on them.

We currently support two highly respected charities!

WE DONATE £5 FOR EVERY 10M² OF FLEXITEEK SOLD

THE WORLD LAND TRUST

The World Land Trust (WLT) is a UK-based international conservation charity working to protect land in the world's most biologically significant and threatened habitats, acre by acre.

In our first four years, we have planted more than 48,000 trees.

THE OCEAN CLEAN UP

Plastic waste has become an urgent problem that needs addressing. To help tackle this, Flexiteek is donating to The Ocean Cleanup to help remove plastic waste from rivers and oceans worldwide.

ISO CERTIFICATIONS

Our UK manufacturing hub has ISO 14001 and ISO 9001 covering sustainable manufacturing and quality practices.

They provide reassurance that we are working hard to minimise our impact.



ECOVADIS

In 2023, we gained our first EcoVadis award. In 2024, we have been recognised as 'committed' to changing for the better.



OUR CERTIFICATIONS



FLEXITEEK

Beautifully engineered synthetic decking
and marine products.


FLEXITEEK PATENTS


Application No : GB 2406812.4


CONTACT US

E info@flexiteek.com

W www.flexiteek.com

 [Flexiteek](#)

 [flexiteek](#)

 [flexiteek-international-ab](#)